
Overview

One of the greatest strengths of the Bosch Rexroth structural aluminum framing system is the wide choice of connection methods, and the ability to provide the right connection regardless of whether your concern is strength, flexibility, or aesthetics, or a combination of all those advantages.

90° Right Angle Connectors




Die-Cast Gussets


20-Series 3-3 • 30-Series 3-4 40-Series 3-5 • 45-Series 3-6 50-Series 3-7 • 60-Series 3-8

80-Series 3-8 • 90-Series 3-9


100-Series 3-9




Die-Cast Foundation Brackets 3-10 & 3-11




42x60 Sheet Metal Gusset 3-12




Inside-to-Outside Gussets 3-12



Inside-to-Inside Gussets 3-13



Corner Brackets 3-14




Corner Cube Kits 3-15




S6, S8, & S12 Self-Tapping Connection Screws 3-16




M12 Connection Screws and Anti-Rotation T-Blocks 3-17




M16 Connection Screw 3-18




Bolt Connector Kits 3-19 & 3-20




Cross Connector Kit 3-20



Quick Connectors/Rigid 3-21




Mitered Corner Connectors 3-22




T-Connector Kits 3-23

180° Straight-Line Connectors

End Connector Kits 3-24




8mm & 10mm Connection Link Kits 3-25




End-to-End Bolt Connector Kits 3-25

45° Angle Connectors




45° Angle Connector Kits - 30mm, 40mm & 45mm 3-26 & 3-27


Multi-Angle Connectors




Multi-Angle Connector Kits 3-28 & 3-29



End-to-End Variable Angle Bolt Connector 3-30




End-to-Side Variable Angle Bolt Connector 3-31



Adjustable Angle Gusset Kits 3-32

Joining Plates



Corner, T-Junction, Rectangular, and Cross Junction Joining Plates 3-33 to 3-36

Die-Cast Gussets and Foundation Brackets

Die-cast aluminum gussets are available for connecting a wide range of profile sizes and applications, from 20x20 to 100x100, as well as special "foundation bracket" sizes such as 30x120 and 45x180. Elongated holes allow gussets to be adjusted for position on the profile, while guide tabs assure proper alignment of gusset in the profile's T-slot. Tabs can be easily removed with a flat-tip screwdriver for cross-connection of profiles. All gussets are designed to accept optional cover caps.

Features:

- · T-slot alignment tabs for easy positioning and reduced assembly time
- · Clean, professional appearance
- · Connects anywhere on the profile's
- · Gusset and connecting hardware available as separate components
- · Close tolerances on gusset edges provide flush, tight fit
- · Alignment tabs can easily be removed for cross-oriented connections
- Optional cover caps available

Machining required:


None

Material:

• Gusset: die-cast aluminum

· Fasteners: zinc-plated steel

· Cover cap: black polyamide 6



20x20 Gusset *GoTo*<u></u>=
















Description	Lot Size	Part Number
20x20 gusset only	1	3 842 523 508 <i>GoTo</i> ₌
67		
20x20 gusset with fasteners	1	3 842 523 511 <i>GoTo₌</i>
20x20 round cover cap	1	3 842 523 513
₋ 6→8 ₋		
Plastic adapter 🕲	1	3 842 523 516


20x40 Gusset

6 8










Description	Lot Size	Part Number
20x40 gusset only	1	3 842 523 517
6,		
20x40 gusset with fasteners	1	3 842 523 520
20x40 round cover cap	1	3 842 523 522
_ 6→8 ¬		
Plastic adapter ®	1	3 842 523 516


Gussets

30x30 Gusset *GoTo*₌



Description	Lot Size	Part Number
30x30 gusset only	1	3 842 523 525 <i>GoTo</i> ₌
[8]		
30x30 gusset with fasteners	1	3 842 523 528 <i>GoTo</i> ₌
8→10 30x30 gusset with fasteners for	1	3 842 523 530 <i>GoTo</i> ₌
30x30 gusset with fasteners for 10mm T-slots	1	3 842 523 532
30x30 round cover cap	1	3 842 523 534
Plastic adapter 🔊	1	3 842 523 537


30x60 Gusset




Description	Lot Size	Part Number
30x60 gusset only	1	3 842 523 538
20.60		
30x60 gusset with fasteners	1	3 842 523 541
30x60 round cover cap	1	3 842 523 543
_ _[8→10 _]		
Plastic adapter ©	1	3 842 523 537

Section 3: Profile Connectors

40x40 Gusset




Description	Lot Size	Part Number
40x40 gusset only	1	3 842 528 967
40x40 gusset with fasteners	1	3 842 529 383
40x40 round cover cap	1	3 842 529 007




Description	Lot Size	Part Number
40x80 gusset only	1	3 842 529 005
10 /\ \ \ a a a a		
40x80 gusset with fasteners	1	3 842 529 386
40x80 round cover cap	1	3 842 529 008

Gussets




Kit

When connecting two profiles with 60mm side dimensions, order offset blocks to help align gusset with outer edge of profiles.




Lot Size Description Part Number 3 842 523 558 *GoTo* 45x45 gusset only ر10 3 842 523 561 *GoTo* 45x45 gusset with fasteners 1 3 842 523 563 *GoTo* 45x45 round cover cap 1 Offset block 10mm T-slot-5mm offset 3 842 523 593



Description	Lot Size	Part Number
45x90 gusset only	1	3 842 523 567 <i>GoTo</i> ₌
10		
45x90 gusset with fasteners	1	3 842 523 570 <i>GoTo</i> ₌
45x90 round cover cap	1	3 842 523 572


Section 3: Profile Connectors


50x50 Gusset _{_10} 19mm 10 T-bolt Kit Lot Size **Description Part Number** 50x50 gusset only 1 3 842 530 381 ر10 50x50 gusset with fasteners 3 842 530 259 1





Gussets

60x60 Gusset *GoTo*=












Description	Lot Size	Part Number
60x60 gusset only	1	3 842 523 546 <i>GoTo₌</i>
60x60 guesat with factorage for [8→8]		
60x60 gusset with fasteners for (8 \to 8)	1	3 842 523 549
_8→10¬		
60x60 gusset with fasteners for 8→10 60x60 gusset with fasteners for 60x60 gusset with 60x60 gu	1	3 842 523 551
_{-10→10}		
60x60 gusset with fasteners for 10→10	1	3 842 523 553
60x60 round cover cap	1	3 842 523 555









Description	Lot Size	Part Number
80x80 gusset only	1	3 842 530 231
(10 ₇)		
80x80 gusset with fasteners	1	3 842 530 360
80x80 round cover cap	1	3 842 530 232

 $\textbf{\textit{GoTo}}\ boschrexroth-us.com/framing\ to\ get\ these\ in\ stock\ items\ \textbf{FAST}\ from\ your\ local\ distributor$

3 842 523 578 *GoTo*


3 842 523 580

1

1

Section 3: Profile Connectors


90x90 Gusset *GoTo*₌



100x100 Gusset

90x90 round cover cap


90x90 gusset with fasteners



Description	Lot Size	Part Number
100x100 gusset only	1	3 842 530 460
₍₁₀₎		
100x100 gusset with fasteners	1	3 842 530 361
100x100 round cover cap	1	3 842 530 461


Die-Cast Foundation Brackets

30x120 Foundation Bracket



Description	Lot Size	Part Number
30x120 foundation bracket only	1	3 842 523 587
₇ 8 ₇		
30x120 foundation bracket with fasteners	1	8 981 021 023
30x120 round cover cap	1	3 842 523 589


40x160 Foundation Bracket




Description	Lot Size	Part Number
40x160 foundation bracket only	1	3 842 529 006
40x160 foundation bracket with fasteners	1	8 981 021 348
40x160 round cover cap	1	3 842 529 009

Die-Cast Foundation Brackets

45x180 Foundation Bracket




Description	Lot Size	Part Number
45x180 foundation bracket only	1	3 842 523 583
₅ 10 ₇		
45x180 foundation bracket with fasteners	1	3 842 527 535
45x180 round cover cap	1	3 842 523 585



Other 90° Right-Angle Connectors

Sheet Metal Gusset-42x60 (10)




Features:

- Used with 45-series profile to create a right-angle connection
- · Hole in side can be used for attaching panels, tabletops, etc.

Material:


· Zinc-plated sheet steel



Description	Lot Size	Part Number
42x60 sheet metal gusset	1	3 842 146 813

6mm, 8mm, & 10mm Inside-to-Outside Gussets







Features:

- · Clean appearance
- · Easy set screw installation
- Does not obstruct T-slot
- · Includes set screws

Material:

· Die-cast brass





De	scription	Lot Size*	Part Number
A	6mm inside-to-outside gusset and set screws 6→6 6→6 7	10	3 842 535 574
В	8mm inside-to-outside gusset and set screws 8→8	10	3 842 535 578
С	10mm inside-to-outside gusset and set screws [10→10]	10	3 842 535 572

^{*} For smaller quantities, please contact your local distributor.


Section 3: Profile Connectors

6mm, 8mm, & 10mm Inside-to-Inside Gussets











Features:

- · Clean appearance
- · Easy set screw installation
- · Includes set screws

Material:

· Die-cast brass






De	scription	Lot Size*	Part Number
A	6mm inside-to-inside gusset and set screws €6→6¬	10	3 842 535 575
В	6mm to 8mm inside-to-inside gusset and set screws [6→8]	10	3 842 535 573
С	8mm inside-to-inside gusset and set screws ⊥ [8→8]	10	3 842 535 577
D	8mm to 10mm inside-to-inside gusset and set screws [8 → 10]	10	3 842 535 576
E	10mm inside-to-inside gusset and set screws [10→10]	10	3 842 535 571 <i>GoTo</i> ₌

^{*} For smaller quantities, please contact your local distributor.

Other 90° Right-Angle Connectors

Corner Brackets 6 8 10



Bracket/ Dimension in mm					Screw	
Cap Size	Α	В	С	D	Size	
20mm	20	20	20	10	S6x16	
30mm	30	30	30	15	S8x25	
40mm	40	40	40	20	S12x30	
45mm	45	45	45	22.5	S12x30	
50mm	50	50	50	25	S12x30	

Features:


- · One bracket connects two or three profiles
- · Compatible with square or radius profiles
- Provides neat, finished appearance

Material:

• Bracket: die-cast zinc


• Cover caps: black polyamide 6

• Screws: zinc-plated steel



Description	Lot Size	Part Number
20mm corner bracket with fasteners 🔊 🕯	TT 1	3 842 519 318
20mm radius cover cap	1	3 842 517 146
20mm square cover cap	1	3 842 517 147
30mm corner bracket with fasteners	77 1	3 842 519 319
30mm radius cover cap	1	3 842 517 281
30mm square cover cap	1	3 842 517 282
40mm corner bracket with fasteners	PP 1	3 842 529 404
40mm radius cover cap	1	3 842 529 016
40mm square cover cap	1	3 842 529 018
45mm corner bracket with fasteners	PP 1	3 842 519 321
45mm radius cover cap	1	3 842 517 290
45mm square cover cap	1	3 842 517 291
50mm corner bracket with fasteners	T 1	3 842 529 962
50mm square cover cap	1	3 842 529 019
Replacement screw for 20mm bracket: DIN 7516 S6x16 flat-head screw	1	3 842 517 132
Replacement screw for 30mm bracket: S8x25 flat-head screw	1	3 842 517 543
Replacement screw for 40mm, 45mm, or 50 bracket: S12x30 flat-head screw	mm 1	3 842 517 613

Corner Cube Kits 6 8 10



Cube	Dimension in mm			Screw
Size	Α	В	С	Size
20mm	20	20	10	S6x16
30mm	30	30	15	S8x25
40mm	40	40	20	S12x30
45mm	45	45	22.5	S12x30
50mm	50	50	25	S12x30


Features:

- Use 2S version to connect two profiles, or 3S version to connect three profiles
- Includes self-tapping screws and cover caps to provide neat, finished appearance

Material:

• Corner cube: die-cast aluminum • Cover caps: black polyamide

· Screws: steel



	Lot Size	Part Number
877	1	3 842 524 484
8777	1	3 842 524 478
811	1	3 842 524 485
Tri	1	3 842 524 479
877	1	3 842 529 395
Pitt	1	3 842 529 397
877	1	3 842 524 486
8777	1	3 842 524 480
877	1	3 842 529 399
8111	1	3 842 529 401
		Image: Control of the control of th

Other 90° Right-Angle Connectors

Self-Tapping Connection Screws 6 8 10 7
















Assembly Note

Never tap the center bore of profiles when using self-tapping screws.

When using S8 and S12 self-tapping screws, use anti-rotation T-blocks to ensure profile alignment.



Features:


- · Provides strong connection with high resistance to vibration
- · Available as Torx head or standard hex socket head
- Self-threading for quick, easy installation
- Does not obstruct T-slot

Machining Required:

· Access hole (see chart for size)

- · Screw: zinc-plated industrial grade 8.8 steel
- Cover cap: black polyamide 6

Screw Size	Access Hole	Access Hole Cover (in mm)
S6x16	Ø5.8mm	N/A
S8x25	Ø7.8mm	N/A
S12x30	Ø9.8mm	9.5 / 9.8



Description	Lot Size	Part Number
S6x16 self-tapping connection screw, 4mm socket head	1	3 842 523 968 <i>GoTo₌</i>
S6x16 self-tapping connection screw, T25 Torx head 67	1	3 842 528 593
S8x25 self-tapping connection screw, 5mm socket head $\lfloor 8 \rfloor$	1	3 842 523 970 <i>GoTo₌</i>
S8x25 self-tapping connection screw, T40 Torx head 87	1	3 842 527 174 <i>GoTo₌</i>
8mm swivel-in anti-rotation T-block (opt (see next page for details)	ional), 1	3 842 530 325
S12x30 self-tapping connection screw, 8mm socket head [10]	1	8 981 021 302 <i>GoTo₌</i>
S12x30 self-tapping connection screw, T50 Torx head 10	1	3 842 530 236
9.5/9.8mm access hole cover	1	8 981 005 306
10mm swivel-in anti-rotation T-block (op (see next page for details)	otional) 1	3 842 530 326

M12 Connection Screws 10














Features:


- · Provides strong connection with high resistance to vibration
- Available as Torx head or standard hex socket head
- Does not obstruct T-slot

Machining Required:

- 9.8mm access hole
- Center bore of profile tapped M12


Material:

- Screw: zinc-plated industrial grade 8.8 steel
- · Cover cap: black polyamide 6



Description	Lot Size	Part Number
M12x30 connection screw, 8mm socket head 10	1	8 981 021 301 <i>GoTo</i> ₌
M12x30 connection screw, T50 Torx head [10]	1	3 842 530 235
9.5/9.8mm access hole cover	1	8 981 005 306
10mm swivel-in anti-rotation T-block (optional (see below for details)) 1	3 842 530 326


Anti-Rotation T-Block ⁸ ¹⁰



Features:

- Swivel-in installation
- · Prevents rotation at connection point
- · Large surface area contact with profile's T-slot ensures solid grip
- · Ideal for use with connection screws

• Screw: zinc-plated industrial grade 8.8 steel





Description	Lot Size	Part Number
8mm swivel-in anti-rotation T-block 5	1	3 842 530 325
10mm swivel-in anti-rotation T-block [10]	1	3 842 530 326

Other 90° Right-Angle Connectors

M16 Connection Screw 10







Features:

· Connects profiles with 16mm center bore at right angles

Machining Required:


· See diagram at left

Material:

• Screw: zinc-plated industrial grade 8.8 steel

Description		Lot Size	Part Number
M16 connection screw M16x100-8.8	_10_	1	2 910 141 454

Bolt Connector Kits - Type 1 ⁸ ¹⁰ **GoTo**



Bolt Connector	Dimension in mm			
Size	Α	В	øс	D
30mm	30	18	11	18
40mm	40	23	17	22.5
45mm	45	28	17	22.5
50mm	50	33	17	22.5
60mm	60	43	17	22.5
80mm	80	63	17	22.5
90mm	90	73	17	22.5
100mm	100	83	17	22.5


Features:

- Provides strongest right-angle connection
- · Centering pin eases alignment and assembly
- · Includes two cover caps to create neat, finished appearance
- Obscures profile T-slot: panels or panes must be trimmed

Machining Required:

• Through hole in one profile: see chart

- Bolt connector: zinc-plated 8.8 steel
- Cover caps and alignment pin: black polyamide 6




Description	Lot Size*	Part Number
30mm bolt connector kit for □ [8→8]	10	3 842 535 624
30mm bolt connector kit for €8→10	10	3 842 535 583
40mm bolt connector kit 10→10 1	10	3 842 535 620
45mm bolt connector kit 10→10	10	3 842 500 921 <i>GoTo</i> =
50mm bolt connector kit 10→10	10	3 842 535 621
60mm bolt connector kit ^{10→10}	10	3 842 500 922
80mm bolt connector kit 10→10	10	3 842 535 622
90mm bolt connector kit [10→10]	10	3 842 500 923 <i>GoTo</i> ₌
100mm bolt connector kit ^{10→10}	10	3 842 535 618

^{*} For smaller quantities, please contact your local distributor.

Other 90° Right-Angle Connectors

11x30mm Bolt Connector Kits (8) (10)




Features:

- · Provides strong right-angle connection
- · Versions available for attaching 11x30 profile to profiles with 8mm or 10mm T-slots

Material:

• Bolt connector, screw, and T-nut: zinc-plated steel



Machining Required:

• 11mm hole through 11x30 profile

Description	Lot Size	Part Number
11x30mm bolt connector kit	10	3 842 535 617
11x30mm bolt connector kit [10→10]	10	3 842 535 584

^{*} For smaller quantities, please contact your local distributor.

15x22.5mm Bolt Connector Kit (10)





Features:

· Provides strong right-angle connection for 15x22.5 profile

Material:

• Bolt connector, screw, and T-nut: zinc-plated steel


Machining Required:

• 17mm through-hole (see drawing)

Description	Lot Size*	Part Number
15x22.5mm bolt connector kit	10	3 842 535 619

^{*} For smaller quantities, please contact your local distributor.

Cross Connector Kit 107



Features:

- Provides strong, torque-resistant connection to support heavy loads
- · Commonly used in conveyor leg sets and machine frames
- · Works with 45- and 90-series profiles, as well as 60x90H


Material:

· Zinc-plated steel

Machining Required:

• 30mm wide milled slot

Description	Lot Size	Part Number
Cross connector kit	1	3 842 146 972





M8 Nut and Washer


3 842 535 466


Quick Connectors/Rigid 6 8 10 GoTo











Features:


- · Quickly and easily connect 6mm, 8mm and 10mm profiles at right angles
- Fast assembly and disassembly: ideal for temporary structures such as trade show displays and fixtures
- Keeps three T-slots open for mounting panels or accessories
- Choose either perpendicular or parallel options

Material:

- · A Stainless steel
- B & C Zinc-plated 8.8 steel

Machining Required:

• 11mm barrel: 11mm through-hole



Quick connector/rigid for $\sqrt{10 \rightarrow 10}$

Horizontal access. Includes 8mm T-bolt, 11mm barrel.

Horizontal access. Includes 10mm T-bolt, 17mm barrel.






^{*} For smaller quantities, please contact your local distributor.

Other 90° Right-Angle Connectors

6mm, 8mm, & 10mm Mitered Corner Connectors 6 8 10







Mitered Corner	Dimension in mm			
Connector Size	Α	В	Set Screw	
6mm	46	46	M4x5	
8mm	46	46	M8x8	
10mm	60	60	M10x10	

Features:


- Used to connect profiles whose ends have been cut at a 45° angle
- · Applications include doors and window frames
- · Includes set screws

Material:

· Zinc-plated steel

Machining Required:

• 45° miter on profile corners



Description	Lot Size*	Part Number
6mm mitered corner connector	4	3 842 535 626
8mm mitered corner connector	4	3 842 535 627
10mm mitered corner connector	4	3 842 535 625

^{*} For smaller quantities, please contact your local distributor.

M8x30


M5x16

Ú10Nm

25Nm

T-Connector Kits 8 10 5

30x30 T-Connector Kit $\stackrel{8}{\smile}$



Features:

- Includes all fastening hardware
- Can be used ONLY with 30x30 profiles

Machining Required:


• M8 tap in end of one profile

Material:

· Die-cast zinc

Description	Lot Size	Part Number	
30x30 T-connector kit	1	3 842 524 476	

40x40, 45x45, & 50x50 T-Connector Kits ¹⁰√




T-Connector	Dimension in mm		
Size	Α	В	С
40mm	40	40	29.6
45mm	45	45	34
50mm	50	50	39

Features:

- Includes all fastening hardware
- Includes self-tapping screw; no machining required

Material:

· Die-cast zinc



Description	Lot Size	Part Number
40x40 T-connector kit	1	3 842 532 195
45x45 T-connector kit	1	3 842 520 802
50x50 T-connector kit	1	3 842 532 198

M6x20

() 10Nm


M8x25

25Nm

180° Straight-Line Connectors

End Connector Kits 8 10

30x30 End Connector Kit (8)



Features:

- · Ideal for extending profiles beyond standard available length
- · Includes all fastening hardware
- · Can be used ONLY with 30x30 profiles

Machining Required:


• M8 tap in end of both profiles

Material:

· Die-cast zinc



40x40, 45x45, & 50x50 End Connector Kits $\ ^{10}$




End Connector	Dimension in mm		
Size	Α	В	С
40mm	40	40	29.6
45mm	45	45	34
50mm	50	50	39


- · Ideal for extending profiles beyond standard available length
- · Includes all fastening hardware
- · Includes self-tapping screws; no machining required

Material:


· Die-cast zinc



Description	Lot Size	Part Number
40x40 end connector kit	1	3 842 532 196
45x45 end connector kit	1	3 842 191 175
50x50 end connector kit	1	3 842 532 199



8mm & 10mm Connection Link Kits 8 10 GoTo



Features:


- Provide a heavy-duty connection extending profiles beyond standard available length
- · Ideal for use in perimeter guarding and conveyor rails
- · Includes all fastening hardware; no machining required

Material:

· Zinc-plated steel

De	scription	Lot Size	Part Number
A	8mm connection link kit, 50mm long	1	3 842 518 427
В	8mm connection link kit, 180mm long	1	3 842 521 216
С	10mm connection link kit, 180mm long	1	3 842 528 746 <i>GoTo</i> <u></u>

End-to-End Bolt Connector Kits 10




Features:

- Provide a strong end-to-end for any 10mm T-slotted profile
- · Cover caps conceal through-hole and connector, and provide neat, finished appearance
- · For precise positioning when drilling through-holes, use drilling/boring jig 3 842 218 960.

Machining Required:

• 17mm through-hole

- · Barrels and screws: zinc-plated steel, 8.8
- Cover caps: black polyamide 6




De	scription	Lot Size	Part Number
A	End-to-end bolt connector kit, 40mm	1	3 842 529 293
В	End-to-end bolt connector kit, 45mm	1	3 842 529 248
С	Universal end-to-end bolt connector kit	1	3 842 529 334

45° Angle Connectors

45° Angle Connector Kit – 30mm $^{(8)}$ $^{(10)}$






- Connects 30x30 profiles end-to-end at a 45° angle
- Make a 45° end-to-side connection between a 30x30 profile and any profile with 8mm or 10mm T-slots
- · Includes all hardware, adapters, and cover cap for a neat, finished appearance

Material:

- · Connector: die-cast zinc
- · Adapters and cover cap: black polyamide 6



Description	Lot Size	Part Number
45° angle connector kit – 30mm	1	3 842 518 426

45° Angle Connector Kit - 40mm (10)









- Connects 40x40 profiles end-to-end at a 45° angle
- Make a 45° end-to-side connection between a 40x40 profile and any profile with 10mm T-slots
- · Includes all hardware, adapters, and cover cap for a neat, finished appearance

- · Connector: die-cast aluminum
- · Adapters and cover cap: black polyamide 6



Description	Lot Size	Part Number
45° angle connector kit – 40mm	1	3 842 532 205




Self-tapping

Screws

45° Angle Connector Kit - 45mm 10







M8x20 T-Bolt & Nut

- · Connects 45x45 profiles end-to-end at a 45° angle
- Make a 45° end-to-side connection between a 45x45 profile and any profile with 10mm T-slots
- · Includes fasteners for several connection options
- Includes cover caps for a neat, finished appearance

- · Connector: die-cast aluminum
- Cover cap: black polyamide 6




Description	Lot Size	Part Number
45° angle connector kit – 45mm	1	3 842 535 428



Multi-Angle Connector Kits

30x30 Multi-Angle Connector Kit &




Features:

- · Includes hardware to connect two profiles with 8mm T-slots side-by-side or use 10mm M6 T-nuts to connect (part number 3 842 530 285) profiles with 10mm T-slots
- Connect the end of a 30x30 profile (including 30x30 2S and 3S) to the side of a profile with 8mm or 10mm T-slots (requires one 30mm bolt connector kit, sold separately)
- Connect two 30x30 profiles end-to-end (requires two 30mm bolt connector kits, sold separately)



• Joint components: die-cast zinc



Machining Required:


• 11mm through-hole, 15mm from end of profile for each end-to-end connection

Multi-Angle	Dimension in mm			∪max.
Connector	а	b	С	in Nm
30x30	30	30	25	15
40x40	40	40	34	15

Description	Lot Size*	Part Number
30x30 multi-angle connector kit	1	3 842 502 683
30mm bolt connector kit**	10	3 842 535 624

^{*} For smaller quantities, please contact your local distributor.

40x40 Multi-Angle Connector Kit 10




Features:

- · Connect two profiles with 10mm T-slots side-by-side
- · Connect the end of any 40x40 profile to the side of a profile with 10mm T-slots
- Connect any two 40x40 profiles
- · Available as standard or lockable version (locking handle sold separately below)
- · Includes all fasteners, no machining required

Material:


· Joint components: die-cast zinc, nickel-plated



De	scription	Lot Size	Part Number
A	40x40 multi-angle connector kit	1	3 842 532 235
В	40x40 multi-angle connector kit, lockable	1	3 842 532 364
С	Locking handle, 40mm	1	3 842 516 847

^{**}One kit required for each end connection

45mm and 60mm Multi-Angle Connector Kit 10




Features:

- · Create a side-to-side, end-to-side, or end-to-end connection
- Allows angle to be adjusted without loosening any screws or T-nuts, or can be pinned in place for a fixed connection
- Maximum torque loading
- · Includes all fasteners, no machining required


Material:

· Joint components: die-cast zinc, nickel-plated



Multi-Angle	Dime	ပmax.		
Connector	Α	В	С	in Nm
45x45	45	45	38	15
45x60	60	45	38	15
60x45	45	60	45.5	15
60x60	60	60	45.5	15

Description	Lot Size	Part Number
45x45 multi-angle connector kit	1	3 842 502 684
45x60 multi-angle connector kit	1	3 842 502 685
60x45 multi-angle connector kit	1	3 842 502 688
60x60 multi-angle connector kit	1	3 842 502 687



Multi-Angle Connectors

Variable Angle Bolt Connectors (8) (10)


Features:

- Provide a simple and easy way to connect profiles at various angles
- · Allow one-time bend to desired angle, with correction bend of up to 10°
- · Keep three T-slots open for panels or accessories
- Use drilling/boring jigs (listed below) for proper through-hole spacing


Material:

- Tie-rod: stainless steel
- · Barrel: galvanized steel

	30x30	45x45	45x45H
F _{max}	24 Nm	110 Nm	145 Nm
F _{max}	1100 N	1500 N	1500 N
Fmax	35 Nm	120 Nm	140 Nm
F _{max}	650 N	1000 N	1100 N
F _{max}	40 Nm	95 Nm	180 Nm



End-to-End Variable Angle Bolt Connectors




Features:

- Allowable angle up to 90°
- · Connects two profiles end-to-end

Machining required:


• 11mm through-hole (8mm profiles) or 17mm through-hole (10mm profiles) in both profiles



Description	Lot Size*	Part Number
8mm end-to-end variable angle bolt connector	r 10	3 842 535 630
10mm end-to-end variable angle bolt connector	10	3 842 535 634

^{*} For smaller quantities, please contact your local distributor.

End-to-Side Variable Angle Bolt Connectors




Features:

- Allows angles from 45° to 135°
- Connects the end of one profile to the side of another

Machining required:

• 11mm through-hole (8mm profiles) or 17mm through-hole (10mm profiles) in both profiles




Description	Lot Size*	Part Number
8mm end-to-side variable angle bolt connector	or 10	3 842 535 629
10mm end-to-side variable angle bolt connector	or 10	3 842 535 635

^{*} For smaller quantities, please contact your local distributor.

Assembly Note


When making angled connections, locate through-holes in the profiles as specified below. Use the 8mm or 10mm drilling/boring jig (sold at right, or see the Tools section for details) for proper spacing.




Prior to installation, bend connector to within ±10° of desired angle

Description	Lot Size	Part Number
8mm drilling/boring jig	1	3 842 516 729
10mm drilling/boring jig	1	3 842 516 731

Adjustable Angle Gusset Kits 🥞 🖰






Adjustable Angle	Dimension in mm				
Gusset Size	Α	В	С	D	Е
40mm	20	20	37.5	37.5	35
45mm	22.5	22.5	42.5	43	40

- · Allows quick adjustment to any angle
- · Connects anywhere along profile T-slots
- · Optional T-slot alignment pins simplify positioning and assembly
- · Available as gusset only or as a kit with mounting hardware

- · Gusset: die-cast zinc
- Mounting hardware: zinc-plated steel
- Alignment pins and adapters: black polyamide 6



De	scription	Lot Size	Part Number
A	30mm adjustable angle gusset only	1	3 842 515 473
A	30mm adjustable angle gusset kit for ₁ € → 10 ⊃	1	3 842 515 547
A	30mm adjustable angle gusset kit for _∑ 10→10 _∑	1	3 842 521 580
В	40mm adjustable angle gusset kit only	1	3 842 529 020
В	40mm adjustable angle gusset kit for 10→10	1	3 842 532 274
В	45mm adjustable angle gusset only	1	3 842 504 760
В	45mm adjustable angle gusset kit for 10→10	1	3 842 518 424

Joining Plates

Features:


- Fasten to the outside faces of the profiles, leaving the inner T-slots free for panels or accessories.
- Can be added to reinforce a structure after initial assembly
- · Four different styles available in a variety of sizes

Material:


- 30-, 45-, and 90-series: clear anodized 6063-T6 aluminum
- 80- and 100-series: zinc-plated steel

Recommended fasteners (order below):

- 30-series (8mm T-slots): M6x12 BHCS DIN 9427 and M6 8mm T-nut OR 8mm T-bolt fastening kit, L=23mm
- 45-, 80-, 90-, and 100-series (10mm T-slots): M8x16 BHCS DIN 9427 and M8 10mm T-nut OR 10mm T-bolt fastening kit, L=24mm



Fasteners for Joining Plates 8 10




- · Use 8mm fasteners for attaching joining plates to 30-series profiles
- Use 10mm fasteners for attaching joining plates to 45-, 80-, 90-, and 100-series profiles
- · Use button-head cap screws and T-nuts to create a high-tech, smooth "riveted" look, or use T-bolt kits for a more rugged look

Material:

· Zinc-plated steel

Description	Lot Size	Part Number
A 8mm T-bolt fastening kit, L=23mm ⁸ √	1	8 981 019 579
B M6x12 BHCS, DIN 9427 ⁸	1	3 842 507 071
C 8mm M6 T-nut 8	1	3 842 501 753
▲ 10mm T-bolt fastening kit, L=24mm [10]	1	8 981 021 344
B M8x16 BHCS, DIN 9427 ☐ ☐ ☐	1	3 842 509 423
C 10mm M8 T-nut [10]	1	3 842 530 287


Corner Joining Plates for 30- and 45-series profiles (8) (10)



Corner Joining Plate	А	Dimension in mm A B C D E F ØG						
30-series	84	72	42	12	24	5	6.2	
45-series	129	109.5	64.5	19.5	39	6.5	8.3	

Description	Lot Size	Part Number
30-series corner joining plate (8)	1	8 981 019 457
45-series corner joining plate [10]	1	8 981 019 448


Corner Joining Plates for 80-, 90-, and 100-series profiles 10



Corner	Dimension in mm							
Joining Plate	А	В	С	D	Е	F	G	ØН
90-series	174	154.5	109.5	64.5	19.5	84	6.5	8.3

Description	Lot Size	Part Number
90-series corner joining plate [10]	1	8 981 019 452

T-Junction Joining Plates for 30- and 45-series profiles 8 10




T-Junction Joining	Dimension in mm									
Plate	Α	В	С	D	E	F	G	Н	J	ØK
30-series	144	132	102	72	42	12	24	84	5	6.2
45-series	219	199.5	154.5	109.5	64.5	19.5	39	129	6.5	8.3

Description	Lot Size	Part Number
30-series T-junction joining plate 8	1	8 981 019 461
45-series T-junction joining plate [10]	1	8 981 019 450

Joining Plates


T-Junction Joining Plates for 80-, 90-, and 100-series profiles (8) (10)



T-Junction Dimension in mm												
Joining Plate	Α	В	С	D	E	F	G	G₁	Н	J	К	ØL
90-series	264	244.5	199.5	154.5	109.5	64.5	19.5	_	84	174	6.5	8.3

Description	Lot Size	Part Number
90-series T-junction joining plate 10	1	8 981 019 455

Rectangular Joining Plates for 30- and 45-series profiles (8) (10)



	Rectangular Joining	Dimension in mm						
	Plate	Α	В	C	D	E	F	ØG
Γ	30-series	24	12	42	72	84	5	6.2
	45-series	39	19.5	64.5	109.5	129	6.5	8.3

Description	Lot Size	Part Number
30-series rectangular joining plate 8	1	8 981 019 458
45-series rectangular joining plate 10	1	8 981 019 449